



# Material Safety Data Sheet

Material Name: NA 3900 Part A

ID: SAH00716

## \*\*\* Section 1 - Chemical Product and Company Identification \*\*\*

**Material Name:** NA 3900 Part A

**Product Use**

Mortar

**Manufacturer Information**

USA and Puerto Rico

**MAPEI**

1144 East Newport Center Drive\

Deerfield Beach, FL 33442

Phone: 1-954-246-8888

IN THE EVENT OF A CHEMICAL EMERGENCY INVOLVING A SPILL, LEAK, FIRE, EXPLOSION, EXPOSURE OR ACCIDENT, CONTACT THE FOLLOWING NUMBERS:

Emergency 24 hour numbers:

(USA) CHEMTREC 1-800-424-9300

## \*\*\* Section 2 - Hazards Identification \*\*\*

**Emergency Overview**

This product has been evaluated using criteria specified in 29CFR 1910.1200 (Hazard Communication Standard). This product is irritating to the eyes and skin. This product may cause sensitization by skin contact.

**Hazard Statements**

CAUTION! IRRITANT. ALLERGEN. Irritating to eyes and skin. May cause sensitization by skin contact. This product may be harmful if it is swallowed. Chronic lung disease (silicosis) and/or lung cancer may result from prolonged/repeated breathing of the dust of this material. Wear suitable gloves, eye/face protection, and respiratory protection. Keep out of the reach of children.

**Potential Health Effects: Eyes**

This product is irritating to the eyes. Symptoms can include irritation, redness, scratching of the cornea, and tearing.

**Potential Health Effects: Skin**

This product is irritating to the skin. Mechanical rubbing may increase skin irritation. Prolonged contact with this product may cause allergic skin sensitization reactions.

**Potential Health Effects: Ingestion**

Ingestion of this product is unlikely. However, ingestion of product may produce gastrointestinal irritation and disturbances.

**Potential Health Effects: Inhalation**

This product may cause irritation to the respiratory system. Chronic lung disease (silicosis) and/or lung cancer may result from prolonged/repeated breathing of the dust of this material. Inhalation of dusts produced during cutting, grinding or sanding of this product may cause irritation of the respiratory tract.

**Medical Conditions Aggravated by Exposure**

Hypersensitivity to product, allergies, and skin or respiratory disorders

**Potential Environmental Effects**

No information available for the product.

# Material Safety Data Sheet

Material Name: NA 3900 Part A

ID: SAH00716

**HMIS Ratings: Health: 2\* Fire: 0 Reactivity: 0 Pers. Prot.:** Safety glasses, gloves, NIOSH respirator if dust exposure exceeds TLV values

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

## \*\*\* Section 3 - Composition / Information on Ingredients \*\*\*

CAS #	Component	Percent
14808-60-7	Silica Sand	60-100
25085-99-8	Epoxy resin	7-13

## \*\*\* Section 4 - First Aid Measures \*\*\*

### First Aid: Eyes

Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists, get medical attention.

### First Aid: Skin

Wash immediately with soap and water. If irritation persists, get medical attention.

### First Aid: Ingestion

Flush out mouth with water. If ingestion of a large amount does occur, seek medical attention. Do not induce vomiting.

### First Aid: Inhalation

Immediately remove the affected person to fresh air. If symptoms persist, get medical attention.

### First Aid: Notes to Physician

Provide general supportive measures and treat symptomatically.

## \*\*\* Section 5 - Fire Fighting Measures \*\*\*

### General Fire Hazards

See Section 9 for Flammability Properties.

Closed containers may rupture due to a build-up of pressure when exposed to extreme heat.

### Hazardous Combustion Products

Irritating and toxic gases or fumes may be released during a fire. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

### Extinguishing Media

Dry chemical (preferred), foam, water.

### Fire Fighting Equipment/Instructions

Firefighters should wear full protective clothing including self contained breathing apparatus.

### NFPA Ratings: Health: 2 Fire: 0 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

## \*\*\* Section 6 - Accidental Release Measures \*\*\*

### Personal Precautions

Wear appropriate protective equipment and clothing during clean-up.

### Containment Procedures

Contain the discharged material.

### Environmental Precautions

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

# Material Safety Data Sheet

Material Name: NA 3900 Part A

ID: SAH00716

## Clean-Up Procedures

Attempt to reclaim the free product, if this is possible. Thoroughly wash the area with water after a spill or leak clean-up. Wear appropriate protective equipment and clothing during clean-up. Keep out of the reach of children.

## Evacuation Procedures

None identified.

## Special Procedures

Wear a dust mask if dust is generated above exposure limits.

## \*\*\* Section 7 - Handling and Storage \*\*\*

### Handling Procedures

Avoid getting this material into contact with your skin and eyes. Avoid breathing dusts from this material. Wash thoroughly after handling.

### Storage Procedures

Keep this material in a cool place. Keep the container tightly closed. Do not freeze.

## \*\*\* Section 8 - Exposure Controls / Personal Protection \*\*\*

### Exposure Guidelines

#### A: General Product Information

Keep formation of dusts, particulates and fumes to a minimum.

#### B: Component Exposure Limits

##### Silica Sand (14808-60-7)

ACGIH:	0.025 mg/m3 TWA (respirable fraction)
OSHA:	0.1 mg/m3 TWA (respirable dust)
NIOSH:	0.05 mg/m3 TWA (respirable dust)

### Engineering Controls

Use general ventilation.

### PERSONAL PROTECTIVE EQUIPMENT

#### Personal Protective Equipment: Eyes/Face

Wear safety goggles or face shield when working with melted material.

#### Personal Protective Equipment: Skin

The use of nitrile-latex gloves is recommended. Work clothing sufficient to prevent all skin contact should be worn, such as coveralls and long sleeves. Replace ripped or damaged gloves immediately. May cause sensitization by skin contact.

#### Personal Protective Equipment: Respiratory

If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.

#### Personal Protective Equipment: General

Laundry contaminated clothing before reuse. Use good industrial hygiene practices in handling this material.

## \*\*\* Section 9 - Physical & Chemical Properties \*\*\*

# Material Safety Data Sheet

Material Name: NA 3900 Part A

ID: SAH00716

<b>Appearance:</b>	Paste	<b>Odor:</b>	Epoxy odor
<b>Physical State:</b>	Solid	<b>pH:</b>	N/A
<b>Vapor Pressure:</b>	N/A	<b>Vapor Density:</b>	N/A
<b>Boiling Point:</b>	N/A	<b>Melting Point:</b>	N/A
<b>Solubility (H2O):</b>	Insoluble	<b>Specific Gravity:</b>	1.68
<b>Evaporation Rate:</b>	N/A	<b>VOC:</b>	27 g/L (mixture)
<b>Octanol/H2O Coeff.:</b>	N/A	<b>Flash Point:</b>	93° C
<b>Flash Point Method:</b>	CC	<b>Upper Flammability Limit (UFL):</b>	N/A
<b>Lower Flammability Limit (LFL):</b>	N/A	<b>Burning Rate:</b>	N/A
<b>Auto Ignition:</b>	N/A		

## Physical Properties: Additional Information

The data provided in this section is to be used for product safety handling purposes. Please refer to Product Data Sheets, Certificates of Conformity or Certificates of Analysis for chemical and physical data for determinations of quality and for formulation purposes.

## \* \* \* Section 10 - Chemical Stability & Reactivity Information \* \* \*

### Chemical Stability

Stable under normal conditions.

### Chemical Stability: Conditions to Avoid

Keep away from heat, ignition sources and incompatible materials.

### Incompatibility

This product may react with strong acids, bases and oxidizing agents.

### Hazardous Decomposition

Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

### Possibility of Hazardous Reactions

Will not occur.

## \* \* \* Section 11 - Toxicological Information \* \* \*

### Acute Dose Effects

#### A: General Product Information

No information available for the product.

#### B: Component Analysis - LD50/LC50

##### Silica Sand (14808-60-7)

Oral LD50 Rat 500 mg/kg

### Carcinogenicity

#### A: General Product Information

Exposure to quartz (the most stable and common form of crystalline silica) is responsible for the majority of clinically diagnosed silicosis. Silicosis is a fibronodular lung disease that occurs after occupational exposure to crystalline silica for 5 years or longer. Inhalation of quartz dusts may cause shortness of breath, limitation of chest expansion, dry cough, and a lessened capacity for work. Individuals with a pre-existing disease in, or a history of ailments involving the skin or respiratory tract, are at a greater risk of developing adverse health effects when exposed to this material. There may be a relationship between silicosis and certain cancers.

# Material Safety Data Sheet

Material Name: NA 3900 Part A

ID: SAH00716

## B: Component Carcinogenicity

### Silica Sand (14808-60-7)

ACGIH:	A2 - Suspected Human Carcinogen
NIOSH:	potential occupational carcinogen
NTP:	Known Human Carcinogen (Select Carcinogen)
IARC:	Monograph 68 [1997] (listed under Crystalline silica inhaled in the form of quartz or cristobalite from occupational sources) (Group 1 (carcinogenic to humans))

## Sensitization

This product may be sensitizing by prolonged skin contact.

## \*\*\* Section 12 - Ecological Information \*\*\*

## Ecotoxicity

### A: General Product Information

No information available for the product.

### B: Component Analysis - Ecotoxicity - Aquatic Toxicity

No ecotoxicity data are available for this product's components.

## \*\*\* Section 13 - Disposal Considerations \*\*\*

## US EPA Waste Number & Descriptions

### A: General Product Information

No additional information available.

### B: Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components.

## Disposal Instructions

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

See Section 7 for Handling Procedures. See Section 8 for Personal Protective Equipment recommendations.

## \*\*\* Section 14 - Transportation Information \*\*\*

## International Transportation Regulations

Not regulated as dangerous goods.

## \*\*\* Section 15 - Regulatory Information \*\*\*

## US Federal Regulations

### A: General Product Information

All of the components of this product are listed on, or are exempted from listing on the U.S. EPA TSCA Inventory of Chemical Substances. All components of this product are included, or are exempt from inclusion, in the Canadian Domestic Substance List unless otherwise noted.

### B: Component Analysis

None of this products components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

## State Regulations

### A: General Product Information

Other state regulations may apply. Check individual state requirements.

### B: Component Analysis - State

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA	RI
-----------	-----	----	----	----	----	----	----

# Material Safety Data Sheet

Material Name: NA 3900 Part A

ID: SAH00716

Silica Sand	14808-60-7	No	Yes	Yes	Yes	Yes	Yes
-------------	------------	----	-----	-----	-----	-----	-----

The following statement(s) are provided under the California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):  
WARNING! This product contains a chemical known to the state of California to cause cancer.

## Component Analysis - WHMIS IDL

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

Component	CAS #	Minimum Concentration
Silica Sand	14808-60-7	1 %

## Additional Regulatory Information

### A: General Product Information

Supplier(s) of proprietary component(s) state that these components are contained on the TSCA inventory.

### B: Component Analysis - Inventory

Component	CAS #	TSCA	CAN	EEC
Silica Sand	14808-60-7	Yes	DSL	EINECS
Epoxy resin	25085-99-8	Yes	DSL	No

## \* \* \* Section 16 - Other Information \* \* \*

### Reference

T1-2274-08

### Other Information

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

### Key/Legend

NA = Not available or Not Applicable. BLV=Biological Limit Values TLV = Threshold Limit Value. NFPA = National Fire Protection Association. HMIS = Hazardous Material Information System. CFR = Code of Federal Regulations. EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration., NJTSR = New Jersey Trade Secret Registry.

**Contact:** Product Safety Specialist

**Contact Phone:** 1-954-246-8888

End of Sheet SAH00716



# Material Safety Data Sheet

Material Name: NA 3900 Part B

ID: SAH00717

**\*\*\* Section 1 - Chemical Product and Company Identification \*\*\***

**Material Name:** NA 3900 Part B

**Product Use**

Mortar

**Manufacturer Information**

USA and Puerto Rico

**MAPEI**

1144 East Newport Center Drive\

Deerfield Beach, FL 33442

Phone: 1-954-246-8888

IN THE EVENT OF A CHEMICAL EMERGENCY INVOLVING A SPILL, LEAK, FIRE, EXPLOSION, EXPOSURE OR ACCIDENT, CONTACT THE FOLLOWING NUMBERS:

Emergency 24 hour numbers:

(USA) CHEMTREC 1-800-424-9300

**\*\*\* Section 2 - Hazards Identification \*\*\***

**Emergency Overview**

This product has been evaluated using criteria specified in 29CFR 1910.1200 (Hazard Communication Standard). Causes burns to the skin and eyes. May cause sensitization by skin contact. Toxic if swallowed.

**Hazard Statements**

DANGER! CORROSIVE. TOXIC. ALLERGEN. COMBUSTIBLE. Causes burns to the skin and eyes. This product is harmful if swallowed. May cause sensitization by skin contact. Vapor harmful. Wear suitable gloves, eye/face protection, and respiratory protection. Keep out of the reach of children.

**Potential Health Effects: Eyes**

This product is severely irritating to the eyes and may cause eye burns.

**Potential Health Effects: Skin**

This product is severely irritating to the skin and may cause burns. Prolonged contact with this product may cause allergic skin sensitization reactions.

**Potential Health Effects: Ingestion**

Ingestion of this product may cause nausea, vomiting and diarrhea. This product may be harmful if it is swallowed. This product may produce corrosive damage to the gastrointestinal tract if it is swallowed.

**Potential Health Effects: Inhalation**

This product is severely irritating to the respiratory system and may cause burns.

**Medical Conditions Aggravated by Exposure**

Hypersensitivity to product, allergies, and skin or respiratory disorders

**Potential Environmental Effects**

None identified.

**HMIS Ratings: Health: 3\* Fire: 1 Reactivity: 1 Pers. Prot.:** Safety glasses, gloves, synthetic apron, vapor respirator if airborne concentrations exceed exposure limits

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

# Material Safety Data Sheet

Material Name: NA 3900 Part B

ID: SAH00717

## \*\*\* Section 3 - Composition / Information on Ingredients \*\*\*

CAS #	Component	Percent
68082-29-1	Fatty amidoamine resin	40-70
140-31-8	Aminoethylpiperazine	7-13
80-05-7	Bisphenol A	3-7
112-24-3	Triethylene tetramine	3-7
84852-15-3	4-Nonylphenol, branched	3-7
103-83-3	Benzyl dimethylamine	1-5
100-51-6	Benzyl alcohol	0.5-1.5

## \*\*\* Section 4 - First Aid Measures \*\*\*

### First Aid: Eyes

Get medical attention or advice. Immediately flush eyes with plenty of water for at least 15 minutes.

### First Aid: Skin

Get medical attention or advice. Flush with large amounts of water.

### First Aid: Ingestion

Get medical attention or advice. Flush out mouth with water. Do not induce vomiting.

### First Aid: Inhalation

Immediately remove the affected person to fresh air. If symptoms persist, get medical attention.

### First Aid: Notes to Physician

Provide general supportive measures and treat symptomatically.

## \*\*\* Section 5 - Fire Fighting Measures \*\*\*

### General Fire Hazards

See Section 9 for Flammability Properties.

This product is combustible at high temperatures.

### Hazardous Combustion Products

Irritating and toxic gases or fumes may be released during a fire. Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

### Extinguishing Media

Dry chemical (preferred), foam, water.

### Fire Fighting Equipment/Instructions

Firefighters should wear full protective clothing including self contained breathing apparatus.

### NFPA Ratings: Health: 3 Fire: 1 Reactivity: 1

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

## \*\*\* Section 6 - Accidental Release Measures \*\*\*

### Personal Precautions

Wear appropriate protective equipment and clothing during clean-up.

### Containment Procedures

Dike the spilled material, where this is possible. Absorb with inert absorbent such as dry clay, sand or diatomaceous earth, commercial sorbents, or recover using pumps. Scoop up used absorbent into drums or other appropriate container.

### Environmental Precautions

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

# Material Safety Data Sheet

Material Name: NA 3900 Part B

ID: SAH00717

## Clean-Up Procedures

Attempt to reclaim the free product, if this is possible. Shovel the material into waste container. Thoroughly wash the area with water after a spill or leak clean-up. Keep out of the reach of children.

## Evacuation Procedures

None identified.

## Special Procedures

Regulations vary. Consult local authorities before disposal.

## \*\*\* Section 7 - Handling and Storage \*\*\*

### Handling Procedures

Avoid getting this material into contact with your skin and eyes. Avoid breathing vapors or mists of this product. Wash hands after handling and before eating. Keep out of the reach of children.

### Storage Procedures

Store in a cool, dry, well-ventilated area. Store at ambient temperature and atmospheric pressure. Store away from strong oxidizers.

## \*\*\* Section 8 - Exposure Controls / Personal Protection \*\*\*

### A: Component Exposure Limits

ACGIH, OSHA, and NIOSH have not developed exposure limits for any of this product's components.

### Engineering Controls

Use general ventilation.

### PERSONAL PROTECTIVE EQUIPMENT

#### Personal Protective Equipment: Eyes/Face

Wear safety glasses with side shields or goggles.

#### Personal Protective Equipment: Skin

The use of nitrile-latex gloves is recommended. Work clothing sufficient to prevent all skin contact should be worn, such as coveralls and long sleeves. Replace ripped or damaged gloves immediately. May cause sensitization by skin contact.

#### Personal Protective Equipment: Respiratory

If airborne concentrations are above the applicable exposure limits, use NIOSH approved respiratory protection.

#### Personal Protective Equipment: General

Laundry contaminated clothing before reuse. Use good industrial hygiene practices in handling this material.

## \*\*\* Section 9 - Physical & Chemical Properties \*\*\*

<b>Appearance:</b>	Amber liquid	<b>Odor:</b>	Amine odor
<b>Physical State:</b>	Liquid	<b>pH:</b>	N/A
<b>Vapor Pressure:</b>	N/A	<b>Vapor Density:</b>	N/A
<b>Boiling Point:</b>	N/A	<b>Melting Point:</b>	N/A
<b>Solubility (H2O):</b>	Negligible	<b>Specific Gravity:</b>	N/A
<b>Evaporation Rate:</b>	N/A	<b>VOC:</b>	27 g/L (mixture)
<b>Octanol/H2O Coeff.:</b>	N/A	<b>Flash Point:</b>	93° C
<b>Flash Point Method:</b>	CC	<b>Upper Flammability Limit (UFL):</b>	N/A
<b>Lower Flammability Limit (LFL):</b>	N/A	<b>Burning Rate:</b>	N/A
<b>Auto Ignition:</b>	N/A		

# Material Safety Data Sheet

Material Name: NA 3900 Part B

ID: SAH00717

## Physical Properties: Additional Information

The data provided in this section is to be used for product safety handling purposes. Please refer to Product Data Sheets, Certificates of Conformity or Certificates of Analysis for chemical and physical data for determinations of quality and for formulation purposes.

## \* \* \* Section 10 - Chemical Stability & Reactivity Information \* \* \*

### Chemical Stability

Stable under normal conditions.

### Chemical Stability: Conditions to Avoid

Do not freeze.

### Incompatibility

This product may react with strong acids, bases and oxidizing agents.

### Hazardous Decomposition

Irritating and/or toxic fumes and gases may be emitted upon the product's decomposition. Upon decomposition, this product may emit fumes of carbon monoxide, carbon dioxide, oxides of nitrogen, and other organic compounds.

### Possibility of Hazardous Reactions

Will not occur.

## \* \* \* Section 11 - Toxicological Information \* \* \*

### Acute Dose Effects

#### A: General Product Information

Toxic if swallowed.

#### B: Component Analysis - LD50/LC50

##### Aminoethylpiperazine (140-31-8)

Oral LD50 Rat 2140 mg/kg; Dermal LD50 Rabbit 880 mg/kg

##### Bisphenol A (80-05-7)

Oral LD50 Rat 3200 mg/kg; Dermal LD50 Rabbit 3000 mg/kg

##### Triethylene tetramine (112-24-3)

Oral LD50 Rat 2500 mg/kg; Dermal LD50 Rabbit 550 mg/kg

##### 4-Nonylphenol, branched (84852-15-3)

Oral LD50 Rat 580 mg/kg; Dermal LD50 Rabbit 2031 mg/kg

##### Benzyl dimethylamine (103-83-3)

Oral LD50 Rat 265 mg/kg; Dermal LD50 Rabbit 1660 mg/kg

##### Benzyl alcohol (100-51-6)

Inhalation LC50 Rat 8.8 mg/L 4 h; Oral LD50 Rat 1230 mg/kg; Dermal LD50 Rabbit 2000 mg/kg

### Carcinogenicity

#### A: General Product Information

No information available for the product.

#### B: Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, OSHA, NIOSH, or NTP.

### Teratogenicity

Possible risk of impaired fertility. Possible risk of harm to the unborn child.

### Sensitization

This product may be sensitizing by prolonged skin contact.

# Material Safety Data Sheet

Material Name: NA 3900 Part B

ID: SAH00717

## \* \* \* Section 12 - Ecological Information \* \* \*

### Ecotoxicity

#### A: General Product Information

No information available for the product.

#### B: Component Analysis - Ecotoxicity - Aquatic Toxicity

##### Aminoethylpiperazine (140-31-8)

Test & Species		Conditions
96 Hr LC50 Pimephales promelas	1950-2460 mg/L [flow-through]	
96 Hr LC50 Poecilia reticulata	>1000 mg/L [semi-static]	
96 Hr LC50 Oncorhynchus mykiss	>=100 mg/L [semi-static]	
72 Hr EC50 Pseudokirchneriella subcapitata	495 mg/L	
48 Hr EC50 Daphnia magna	32 mg/L	

##### Bisphenol A (80-05-7)

Test & Species		Conditions
96 Hr LC50 Pimephales promelas	3.6-5.4 mg/L [flow-through]	
96 Hr LC50 Pimephales promelas	4.0-5.5 mg/L [static]	
96 Hr LC50 Oncorhynchus mykiss	4 mg/L	
96 Hr LC50 Brachydanio rerio	9.9 mg/L [static]	
96 Hr EC50 Pseudokirchneriella subcapitata	2.5 mg/L	
48 Hr EC50 Daphnia magna	10.2 mg/L	
48 Hr EC50 Daphnia magna	3.9 mg/L	
48 Hr EC50 Daphnia magna	9.2 - 11.4 mg/L [Static]	

##### Triethylene tetramine (112-24-3)

Test & Species		Conditions
96 Hr LC50 Poecilia reticulata	570 mg/L [semi-static]	
96 Hr LC50 Pimephales promelas	495 mg/L	
72 Hr EC50 Desmodesmus subspicatus	2.5 mg/L	
72 Hr EC50 Pseudokirchneriella subcapitata	20 mg/L	
96 Hr EC50 Pseudokirchneriella subcapitata	3.7 mg/L	
48 Hr EC50 Daphnia magna	31.1 mg/L	

##### 4-Nonylphenol, branched (84852-15-3)

Test & Species		Conditions
96 Hr LC50 Pimephales promelas	0.135 mg/L [flow-through]	
96 Hr LC50 Lepomis macrochirus	0.1351 mg/L [flow-through]	
96 Hr EC50 Pseudokirchneriella subcapitata	0.36 - 0.48 mg/L [static]	
72 Hr EC50 Pseudokirchneriella subcapitata	0.16 - 0.72 mg/L [static]	
72 Hr EC50 Desmodesmus subspicatus	1.3 mg/L	

# Material Safety Data Sheet

Material Name: NA 3900 Part B

ID: SAH00717

48 Hr EC50 Daphnia magna	0.14 mg/L	
--------------------------	-----------	--

## Benzyldimethylamine (103-83-3)

Test & Species		Conditions
96 Hr LC50 Pimephales promelas	35.8-39.9 mg/L [flow-through]	

## Benzyl alcohol (100-51-6)

Test & Species		Conditions
96 Hr LC50 Pimephales promelas	460 mg/L [static]	
96 Hr LC50 Lepomis macrochirus	10 mg/L [static]	
3 Hr EC50 Anabaena variabilis	35 mg/L	
48 Hr EC50 water flea	23 mg/L	

## \*\*\* Section 13 - Disposal Considerations \*\*\*

### US EPA Waste Number & Descriptions

#### A: General Product Information

No additional information available.

#### B: Component Waste Numbers

No EPA Waste Numbers are applicable for this product's components.

### Disposal Instructions

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

See Section 7 for Handling Procedures. See Section 8 for Personal Protective Equipment recommendations.

## \*\*\* Section 14 - Transportation Information \*\*\*

### US DOT Information

**Shipping Name:** Corrosive liquid, basic, organic, n.o.s. (Fatty amidoamine resin, Aminoethylpiperazine )

**UN/NA #:** UN3267 **Hazard Class:** 8 **Packing Group:** III

**Additional Info.:** Marine pollutant (4-Nonylphenol, branched)

### IATA Information

**Shipping Name:** Corrosive liquid, basic, organic, n.o.s. (Fatty amidoamine resin, Aminoethylpiperazine )

**UN #:** UN3267 **Hazard Class:** 8 **Packing Group:** III

**Additional Info.:** Marine pollutant (4-Nonylphenol, branched)

### IMDG Information

**Shipping Name:** Corrosive liquid, basic, organic, n.o.s. (Fatty amidoamine resin, Aminoethylpiperazine )

**UN #:** UN3267 **Hazard Class:** 8 **Packing Group:** III

**Additional Info.:** Marine pollutant (4-Nonylphenol, branched)

## \*\*\* Section 15 - Regulatory Information \*\*\*

### US Federal Regulations

#### A: General Product Information

All of the components of this product are listed on, or are exempted from listing on the U.S. EPA TSCA Inventory of Chemical Substances. All components of this product are included, or are exempt from inclusion, in the Canadian Domestic Substance List unless otherwise noted.

# Material Safety Data Sheet

Material Name: NA 3900 Part B

ID: SAH00717

## B: Component Analysis

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65) and/or CERCLA (40 CFR 302.4).

### Bisphenol A (80-05-7)

SARA 313: 1.0 % de minimis concentration

## State Regulations

### A: General Product Information

Other state regulations may apply. Check individual state requirements.

### B: Component Analysis - State

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA	RI
Aminoethylpiperazine	140-31-8	No	Yes	No	Yes	Yes	No
Bisphenol A	80-05-7	No	Yes	No	Yes	Yes	No
Triethylene tetramine	112-24-3	No	Yes	No	Yes	Yes	No
Benzyl dimethylamine	103-83-3	No	No	No	Yes	No	No
Benzyl alcohol	100-51-6	No	Yes	Yes	No	Yes	No

## Component Analysis - WHMIS IDL

The following components are identified under the Canadian Hazardous Products Act Ingredient Disclosure List:

Component	CAS #	Minimum Concentration
Aminoethylpiperazine	140-31-8	1 %
Bisphenol A	80-05-7	1 %
Triethylene tetramine	112-24-3	0.1 %
Benzyl dimethylamine	103-83-3	1 %
Benzyl alcohol	100-51-6	1 %

## Additional Regulatory Information

### A: General Product Information

Supplier(s) of proprietary component(s) state that these components are contained on the TSCA inventory.

### B: Component Analysis - Inventory

Component	CAS #	TSCA	CAN	EEC
Fatty amidoamine resin	68082-29-1	Yes	DSL	No
Aminoethylpiperazine	140-31-8	Yes	DSL	EINECS
Bisphenol A	80-05-7	Yes	DSL	EINECS
Triethylene tetramine	112-24-3	Yes	DSL	EINECS
4-Nonylphenol, branched	84852-15-3	Yes	DSL	EINECS
Benzyl dimethylamine	103-83-3	Yes	DSL	EINECS
Benzyl alcohol	100-51-6	Yes	DSL	EINECS

## \*\*\* Section 16 - Other Information \*\*\*

### Reference

T1-2275-02

### Other Information

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

# Material Safety Data Sheet

**Material Name: NA 3900 Part B**

**ID: SAH00717**

## Key/Legend

NA = Not available or Not Applicable. ACGIH = American Conference of Governmental Industrial Hygienists. NFPA = National Fire Protection Association. EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration., NJTSR = New Jersey Trade Secret Registry.

**Contact:** Product Safety Specialist

**Contact Phone:** 1-954-246-8888

End of Sheet SAH00717